Justification:	Function:	Electronic signature justification:	Signed: Date (yyyy-mm-dd) - Time (hh:mm):
Issued:	QA	Elin Andersson - ELIAND	2021-12-03 - 08:58
Reviewed:	QA	Elin Algotson - ELIALG	2021-12-06 - 09:53
Approved:	DD	Diana Tieger - DIATIE	2021-12-06 - 21:05
Released:	QA	Elin Andersson - ELIAND	2021-12-09 - 09:32

This document has been electronically signed by the persons above.



Provox[®] Life[™] BasePlate Adaptor



Product description:

Provox Life BasePlate Adaptor is an accessory that allows attaching and detaching medical devices, e.g. an HME, with an ISO 15 mm standard connector to a Provox Life attachment. The adaptor shall be cleaned between use.

Atos Medical AB Kraftgatan 8 SE-242 35 Hörby, Sweden Tel: +46 (0) 415 198 00 Web Site: www.atosmedical.com E-mail: info@atosmedical.com Org.nr 556268-7607 VAT no. SE556268760701

File name: PF018-02-TECHINFO Template ID: TMP-0260 Deacumental Number: 02/2V-0544629 Status: Effective Version: 1.0 Name: PF018-02-TECHINFO



Document ID:	PF018-02-TechInfo	Edition:	01
Manufacturer:	Atos Medical AB Kraftgatan 8 SE-242 35 Hörby,Sweden		
Classification: (EU) 2017/745	Class I, Rule 1.		
Intended Use:	Provox Life BasePlate Adaptor is an accessory th medical device, e.g. an HME, with an ISO 15 mm Provox Life attachment.		-
Use specifications:	 Intended medical indication: Accessory product for patients after total laryngectomy. Intended patient population: Male and female Typical average age: N/A. Cognitive ability, by a clinician judged as sufficient Manual dexterity: Unconscious patients must be constantly monitored. Not intended for patients with mechanical ventilation. Intended usage: Single patient use. Intended part of the body/type of tissue applied to or interacted with: Neck, (tracheostoma). Intended user profile: Patient, clinician, trained nurse. Intended conditions of use: Home use (normal daily environment without any hygienic or environmental restrictions regarding temperature, moisture etc.). Hospital use. 		
Contraindications:	Shall not be used for mechanical ventilation.		
CE Mark:	Yes. Devices are CE-marked.		
GMDN code:	58705 (Tracheostoma protective filter)		
Sterilization:	Non-sterile		
Raw material:	Polyether ether ketone (PEEK)		
Latex information:	Not manufactured with natural rubber latex		
Biological origin:	The device is not manufactured with materials de animal source.	erived from hu	iman or
Handling and storage:	Store the product dry and away from sunlight at Excursions permitted between 2°C - 42°C.	room tempero	ature.
Waste handling and disposal:	Waste handling and disposal should be carried of medical practice and applicable national laws of product may be a potential biohazard.		
Hazardous components:	Waste handling and disposal should be carried of medical practice and applicable national laws of product may be a potential biohazard.		
Expiration date:	5 years after manufacturing.		



Packaging:

Provox Life BasePlate Adaptor is separately packed in a plastic bag and together with instructions for use in a cardboard box



Devices under Basic UDI-DI: 7331791-HME-A-000-0005-FB

REF	Name	UDI-DI
8057	Provox Life BasePlate Adaptor	07331791015342

Atos Medical AB compatible products:

Range	BASIC UDI-DI	
Provox Life LaryTube	7331791-LTU-0-000-0004-3L	
Provox Life LaryButton	7331791-LTU-0-000-0005-3P	
Provox Life Standard Adhesive		
Provox Life Sensitive Adhesive	7331791-ADH-0-000-0001-CT	
Provox Life Night Adhesive	7331791-ADH-0-000-0001-C1	
Provox Life Stability Adhesive		
TrachPhone	7331791-HME-0-000-0006-XT	
Freevent DualCare	7331791-HME-0-000-0005-XQ	
Freevent XtraCare	7331791-HME-0-000-0004-XM	
Freevent XtraCare Mini	/ 33 i / 91-ПМЕ-0-000-0004-ХМ	

Justification:	Function:	Electronic signature justification:	Signed: Date (yyyy-mm-dd) - Time (hh:mm):
Issued:	QA	Sara Dahl - X-SARDAH	2021-11-08 - 10:28
Reviewed:	QA	John Wennborg - JOHWEN	2021-11-08 - 14:31
Approved:	DD	Diana Tieger - DIATIE	2021-11-09 - 22:51
Released:	QA	Sara Dahl - X-SARDAH	2021-11-10 - 15:17

This document has been electronically signed by the persons above.



Provox® Life™ HME



Product description:

Provox Life[™] HMEs are single-use devices for pulmonary rehabilitation. They come in different levels of humidification, breathing resistance and filtration that makes them suitable for different situations.

The different Provox Life™ HMEs are:

Home: when taking it easy, Go: when you are out and about, Energy: when physically active, Protect: when you need protection from bacteria, virus, dust and pollen, Night: when sleeping.

Atos Medical AB	SE-242 35 Hörby, Sweden	Web Site: www.atosmedical.com	
Kraftgatan 8	Tel: +46 (0) 415 198 00	E-mail: info@atosmedical.com	

Org.nr 556268-7607

VAT no. SE556268760701

File name: PF086-01-TECHINFO Provox Life HME.docx Template ID: TMP-0260 Decempental Number 2040 -0542716 Status: Effective Version: 1.0 Name: PF086-01-TECHINFO Provox Life HME



Document ID:	PF086-01-TechInfo	Edition:	16
Manufacturer:	Atos Medical AB Kraftgatan 8 SE-242 35 Hörby, Sweden		
Classification: (EU) 2017/745	Class 1 (Rule 1)		
Intended Use:	Provox Life HMEs are single use heat- and moi breathing through a tracheostoma.	sture exchanger	rs for patients
Use specifications:	Intended medical indication: Product for rehabilitation for patients breathing Intended patient population: Male and female of any age. Cognitive ability, by a clinician judged as suffic Manual dexterity, by a clinician judged as suffic Not intended for patients with mechanical very Not intended for patients with a low tidal volum Intended usage: Single use, Over-the-counter. Intended part of the body/type of tissue applie The product is placed in front of the tracheosted air. The tissue contact is Indirect via inhaled air Intended user profile: The product is supposed to be handled by the by physicians, trained nurses, SLPs, clinicians ar Intended conditions of use: Home use (normal daily environment without of environmental restrictions regarding temperatu Outpatient clinic use. Hospital use. Frequency of use: Continuous use. Replacement rate: Max usage for 24 hours. Replacement is perform or caregiver.	tient. cient. tilation. ne. ed to or interacte oma to condition patient but is als id caregivers. ny hygienic or ure, moisture etc	ed with: n respiratory so handled .).
Contraindications:	The device shall not be used by patients with re cognitive ability. Patients who are unable to at device themselves, or without sufficient knowle or the cognitive ability to understand the risks of should not use the device. The device shall not be used by patients with c added dead space may cause CO ₂ (Carbon of	tach or remove adge how to use connected to the low tidal volum	the the device, e use, e, as the
CE Mark:	Yes, the devices are CE marked.		
GMDN code:	58705 (Tracheostoma protective filter)		
Sterilization:	Non-sterile		
Raw material:	Housing & Lid: Polypropylene (PP) with polyeth Housing (only 8262 and no Lid): Polydimethylsik Foam: Polyurethane (PUR) with calcium chloric Filter (only used in ref. 8313): Acrylic, Polypropy	oxane (Silicone) le (CaCl2)	r batch
Latex information:	Not manufactured with natural rubber latex		



Biological origin:	The device is not manufactured with materials derived from human or animal source.
Handling and storage:	Store the product dry and away from sunlight at room temperature. Excursions permitted between 2°C - 42°C.
Waste handling and disposal:	Waste handling and disposal should be carried out in agreement with medical practice and applicable national laws and legislations. Used product may be a potential biohazard.
Hazardous components:	None
Expiration date:	3 years after manufacturing.
Packaging:	8310, 8311, 8312, 8262: The HMEs are single packed 10 pieces in a LD-Polyethylene blister sealed with a high barrier polyester-based lidding film. 3 blisters (total of 30 HMEs) are then packed together with an IFU in a cardboard box.
	8313: The HMEs are single packed 5 pieces in a LD-Polyethylene blister sealed with a high barrier polyester-based lidding film. 3 blister (total of 15 HMEs) are then packed together with an IFU in a cardboard box.



Devices under Basic UDI-DI: 7331791-HME-0-000-0001-XC

REF	Name	UDI-DI
8310	Provox Life Go HME	07331791011399
8311	Provox Life Home HME	07331791011405
8312	Provox Life Energy HME	07331791013744
8313	Provox Life Protect HME	07331791013751
8262	Provox Life Night HME	07331791014512



Atos Medical AB compatible products:


Range	BASIC UDI-DI
Provox Life Adhesive	7331791-ADH-0-000-0001-CT
Provox Life LaryTube	7331791-LTU-0-000-0004-3L
Provox Life LaryButton	7331791-LTU-0-000-0005-3P

Justification:	Function:	Electronic signature justification:	Signed: Date (yyyy-mm-dd) - Time (hh:mm):
Issued:	QA	Sara Dahl - X-SARDAH	2021-11-08 - 11:59
Reviewed:	QA	John Wennborg - JOHWEN	2021-11-08 - 14:33
Approved:	DD	Diana Tieger - DIATIE	2021-11-08 - 21:10
Released:	QA	Sara Dahl - X-SARDAH	2021-11-10 - 15:17

This document has been electronically signed by the persons above.



Provox[®] Life[™] Experience Packs



Template ID: TMP-0260 DeocumentalNamberro2/2V-0544890 Status: Effective Version: 1.0 Name: PF086-03-TECHINFO Provox Life Experience Packs

File name: PF086-03-TECHINFO.docx

Page 1 of 5



Product description:

The Provox Life Experience Packs are a combination of Provox Life HMEs and Provox Life Adhesives.

Provox Life HME:

Provox Life HMEs are heat and moisture exchangers. HMEs are single use devices used for pulmonary rehabilitation and facilitation of speech.

Provox Life Adhesive:

Provox Life Adhesives are designed to be used together with Provox Life HMEs and accessories. Provox Life Standard Adhesive, Provox Life Sensitive Adhesive and Provox Life Stability Adhesive are flexible adhesives suitable for flat to moderately deep stomas. Provox Life Sensitive Adhesive and Provox Life Night Adhesive have an adhesive material with permanent skin contact that is hypoallergenic and suitable for sensitive skin.

Document ID:	PF086-03-TechInfo	Edition:	03
Manufacturer:	Atos Medical AB Kraftgatan 8 SE-242 35 Hörby, Sweden		
Classification: (EU) 2017/745	Class I (Rule 1).		
Intended Use:	Provox Life HMEs are single use heat- and moistu breathing through a tracheostoma.	re exchangers	for patients
	Provox Life Adhesives are single use adhesives the Provox Life HMEs and accessories after total lary		achment for
Use specifications:	Intended medical indication: Facilitation of pulm total laryngectomy. Intended patient population: Male and female of HME: Not intended for patients with mechanical Not intended for patients with a low tidal volume Intended usage: Single use, over-the-counter de Intended part of the body/type of tissue applied Adhesive: The device is a peristomal adhesive w HME: The product is placed in front of the trache respiratory air. The tissue contact is Indirect via in Intended user profile: Patient, clinician, trained n ability, by a clinician judged as sufficient. Manuac clinician judged as sufficient. Intended conditions of use: The device will be use (mainly) in the patient's normal environment. Da replacement as needed. The device can be use situation except during radiation therapy. Sensiti during and after radiotherapy depending on clin	of any age. ventilation. e. ito or interacted ith skin contact ostoma to con haled air. urse, caregiver al dexterity, by o red in hospitals, ily usage with ed in any locati ve Adhesive co	ed with: . dition . Cognitive a



Contraindications:	The product shall not be used by patients with a decreased level of consciousness, patients with reduced mobility of the arms and/or hands, or patients who are unable to remove the device themselves. HME: The product shall not be used by patients with a low tidal volume, as the added dead space may cause CO2 (Carbon dioxide) retention	
CE Mark:	Yes. Devices are	CE-marked.
GMDN code:		cheostoma protective filter) (Stomal appliance skin-adherent patch, non-sterile).
Sterilization:	Non-sterile.	
Raw material:	Provox Life HME: Housing & Lid: Polypropylene (PP) with polyethylene (PE) master batch Housing (only 8262 and no Lid): Polydimethylsiloxane (Silicone) Foam: Polyurethane (PUR) with calcium chloride (CaCl2) Filter (only used in ref. 8313): Acrylic, Polypropylene (PP) Provox Life Adhesive: Provox Life Standard Adhesive consist of an acrylic adhesive tape with a polyethylene carrier and an ethylene and butyl acrylate copolymer adapter. Provox Life Sensitive Adhesive consist of a hydrocolloid adhesive tape with an ethyl methyl acetate carrier (EMA) and butyl acrylate copolymer adapter. Provox Life Night Adhesive consists of a hydrogel adhesive tape with a polyurethane carrier and a thermoplastic elastomer adapter. Provox Life Stability Adhesive consists of an acrylic adhesive with a polyethylene carrier and a thermoplastic elastomer	
Latex information:	Not manufactured with natural rubber latex	
Biological origin:	The device is not manufactured with materials derived from human or animal source.	
Handling and storage:	Store the product dry and away from sunlight at room temperature. Excursions permitted between 2°C - 42°C for 8065-8067, 8071-8074. Excursions permitted between 2°C - 30°C for 8060-8064, 8068-8070 and 8075.	
Waste handling and disposal:	Waste handling and disposal should be carried out in agreement with medical practice and applicable national laws and legislations. Used product may be a potential biohazard.	
Hazardous components:	None.	
Expiration date:	HME:Maximum 36 months after manufacturing.Adhesives:Maximum 36 months after manufacturing	



Packaging:HME: The HMEs are single packed 5 pieces(10 pcs of Night HME in 8072) in a
LD-Polyethylene blister sealed with a high barrier polyester-based lidding
film.

Adhesive: Each adhesive is packed individually in a polyethylene plastic bag (Provox Life Night Adhesive is packed in an aluminum foil bag).

8060-8063:

1 blister of Provox Life Home HME, 1 blister of Provox Life GO HME, 1 blister of Provox Life Night HME, 5 pcs of Provox Life Standard Adhesive

Round/Oval/Plus, 5 pcs Provox Life Sensitive Adhesive Round/Oval/Plus and 2 IFU packed in cardboard box.

8064:

1 blister of Provox Life Home HME, 1 blister of Provox Life GO HME, 5 pcs of Provox Life Stability Adhesive and 2 IFU packed in cardboard box. 8065-8067:

5 pcs of Provox Life Standard Adhesive Round/Oval/Plus and 1 IFU packed in cardboard box.

8068-8070:

 $5\,\mathrm{pcs}$ of Provox Life Sensitive Adhesive Round/Oval/Plus and 1 IFU packed in cardboard box.

8071:

5 pcs of Provox Life Stability Adhesive and 1 IFU packed in cardboard box. 8072-8074,8264-8265:

1 blister of Provox Life Night/Energy/Protect/Home/Go HME and IFU packed in cardboard box.

8075:

5 pcs of Provox Life Night Adhesive and 1 IFU packed in cardboard box.

Devices under Basic UDI-DI: 7331791-KIT-0-000-0005-J3

REF	Name	UDI-DI
8060	Provox Life Day & Night Experience Round	07331791015601
8061	Provox Life Day & Night Experience Oval	07331791015618
8062	Provox Life Day & Night Experience Plus	07331791015625
8063	Provox Life Day & Night EXP Sensitive	07331791015632
8064	Provox Life Day & Night EXP Stability	07331791015649

Devices under Basic UDI-DI: 7331791-ADH-0-000-0001-CT

REF	Name	UDI-DI
8065	Provox Life Standard Experience Round	07331791015656
8066	Provox Life Standard Experience Oval	07331791015663
8067	Provox Life Standard Experience Plus	07331791015670
8068	Provox Life Sensitive Experience Round	07331791015687
8069	Provox Life Sensitive Experience Oval	07331791015694
8070	Provox Life Sensitive Experience Plus	07331791015700
8071	Provox Life Stability Experience	07331791015717
8075	Provox Life Night Adhesive Experience	07331791015755



Devices under Basic UDI-DI: 7331791-HME-0-000-0001-XC

REF	Name	UDI-DI
8072	Provox Life Night HME Experience	07331791015724
8073	Provox Life Energy HME Experience	07331791015731
8074	Provox Life Protect HME Experience	07331791015748
8264	Provox Life Home HME Experience	07331791016103
8265	Provox Life Go HME Experience	07331791016110

Atos Medical AB compatible products:

Range	BASIC UDI-DI
Provox Life Shower	7331791-ADH-A-000-0001-UB
Provox Life BasePlate Adapter	7331791-HME-A-000-0005-FB
Provox Silicone Glue	7331791-GEN-A-000-0003-EF
Provox Cleaning Towel 10-p	7331791-ADH-A-000-0003-UH
Provox Adhesive Remover (50 pcs)	7331791-ADH-A-000-0005-UP
Provox Skin Barrier (50 pcs)	7331791-ADH-A-000-0004-UL
Provox Life LaryTube with Ring	7331791-LTU-0-000-0004-3L
Provox Life LaryTube Fenestrated with Ring	7331791-LTU-0-000-0004-3L
Provox Life LaryTube	7331791-LTU-0-000-0004-3L
Provox Life LaryTube Fenestrated	7331791-LTU-0-000-0004-3L
Provox Life LaryButton	7331791-LTU-0-000-0005-3P

Justification:	Function:	Electronic signature justification:	Signed: Date (yyyy-mm-dd) - Time (hh:mm):
Issued:	QA	Carolina Johansson - SEHRBJNC	2022-04-14 - 14:42
Reviewed:	QA	Karolina Nilsson - KARNIL	2022-04-20 - 20:35
Approved:	DD	Diana Tieger - DIATIE	2022-04-21 - 11:25
Released:	QA	Carolina Johansson - SEHRBJNC	2022-05-09 - 16:24

This document has been electronically signed by the persons above.



Provox[®] Life[™] Shower



Product description:

Provox Life Shower is a single patient use device intended to be placed into a Provox Life attachment to avoid water from entering the tracheostoma during showering.

Atos Medical AB	SE-242 35 Hörby, Sweden	Web Site: www.atosmedical.com	Org.nr 556268-7607
Kraftgatan 8	Tel: +46 (0) 415 198 00	E-mail: info@atosmedical.com	VAT no. SE556268760701

File name: PF088-01-TECHINFO Template ID: TMP-0260 Documenta Number 2020-0542714 Status: Effective Version: 1.0 Name: PF088-01-TECHINFO



Document ID:	PF088-01-TechInfo	Edition:	09	
Manufacturer:	Atos Medical AB Kraftgatan 8 SE-242 35 Hörby,Sweden			
Classification: (EU) 2017/745	Class 1 (Rule 1)			
Intended Use:	Provox Life Shower is a single patient use device into a Provox Life attachment to avoid water from tracheostoma during showering.		placed	
Use specifications:	The device will contact intact skin and mucosal communicating device the contact mode with t Intended user profile:	through a tracheostoma. pulation: a. y a clinician judged as sufficient. by a clinician judged as sufficient. ple use, Over-the-counter. body/type of tissue applied to or interacted with: tact intact skin and mucosal membrane and as external evice the contact mode with tissue is indirect via air. le: bosed to be handled by the patient but is also handled ed nurses, SLPs, clinicians and caregivers. s of use: e use (normal daily environment without any or ictions regarding temperature, moisture etc.). se. Hospital use. Continuous use.		
Contraindications:	No known contraindications	aindications		
CE Mark:	Yes. Devices are CE-marked.	e CE-marked.		
GMDN code:	62047 (Tracheostoma shower shield)			
Sterilization:	Non-Sterile			
Raw material:	Polypropylene (PP) with a violet master batch			
Latex information:	Not manufactured with natural rubber latex			
Biological origin:	The device is not manufactured with materials derived from human or animal source.			
Handling and storage:	Store the product dry and away from sunlight at room temperature. Excursions permitted between 2°C - 42°C.			
Waste handling and disposal:	Waste handling and disposal should be carried out in agreement with nedical practice and applicable national laws and legislations. Used product may be a potential biohazard.			



Hazardous components:	None
Expiration date:	3 years after manufacturing.
Packaging:	Provox Life Shower, 1 pc is packed in a plastic bag of polyethylene. The product and instructions for use are packed in a cardboard box.

Devices under Basic UDI-DI: 7331791-ADH-A-000-0001-UB

REF	Name	UDI-DI
8308	Provox Life Shower	07331791011375

Atos Medical AB compatible products:

Range	BASIC UDI-DI
Provox Life Adhesive	7331791-ADH-0-000-0001-CT
Provox Life LaryTube	7331791-LTU-0-000-0004-3L
Provox Life LaryButton	7331791-LTU-0-000-0005-3P

Justification:	Function:	Electronic signature justification:	Signed: Date (yyyy-mm-dd) - Time (hh:mm):
Issued:	QA	Abdallah Almashharawi - ABDALM	2023-03-28 - 13:30
Reviewed:	QA	Karolina Nilsson - KARNIL	2023-03-29 - 22:00
Approved:	QA	Elin Andersson - ELIAND	2023-04-04 - 08:33
Released:	QA	Abdallah Almashharawi - ABDALM	2023-04-11 - 08:10

This document has been electronically signed by the persons above.



Provox[®] Life[™] LP Kit



Product description:

Atos Medical AB

Kraftgatan 8

Provox Laryngectomy Kits provide all-in-one packaging for immediate post-operative 24/7 pulmonary rehabilitation and the option for ready-to-use surgical placement. The kits feature Provox Heat and Moisture Exchangers (HMEs) – approved for 24-hour use.

Tel: +46 (0) 415 198 00 File name: PF089-01-TECHINFO Template ID: TMP-0260 Decemmental Number: 0. V2V-0544841 Status: Effective Version: 1.0

SE-242 35 Hörby, Sweden

Web Site: www.atosmedical.com E-mail: info@atosmedical.com

Page 1 of 3

Org.nr 556268-7607

VAT no. SE556268760701

Name: PF089-01-TECHINFO



atosmeaicai.com			
Document ID:	PF089-01-TechInfo	Edition:	05
Manufacturer:	Atos Medical AB Kraftgatan 8 SE-242 35 Hörby,Sweden		
Classification: (EU) 2017/745	Procedure pack listed in EUDAMED.		
Intended Use:	Provox Life LP Kit is an assortment of devices and rehabilitation for users breathing through a trach laryngectomy.		
	Note: Provox Life LP Kit consists only of Atos Medi information provided with the individual devices		
Use specifications:	Intended medical indication: Product for rehabilitation for patients breathing t	hrough a tract	neostoma.
	Intended patient population: Patients of any age Cognitive ability, by a clinician judged as sufficie Manual dexterity, by a clinician judged as sufficie		
	Intended usage: Single use/Single patient multiple use, Prescriptio	n only.	
	Intended part of the body/type of tissue applied to or interacted with: See information provided with the individual devices included in the kit.		
	Intended user profile: The product is intended to be handled by the patient but is also handled by physicians, trained nurses, SLPs, clinicians and caregivers.		
	Intended conditions of use: Environment: Home use (normal living environment environmental restrictions regarding temperature Outpatient clinic use. Hospital use. Frequency of use: See information provided with included in the kit. Replacement rate: See information provided with included in the kit.	e, moisture etc the individual	.). devices
Contraindications:	See information provided with the individual dev	ices included i	n the kit.
CE Mark:	LP Kit is not CE marked. Medical devices include individually.	d in LP Kit are (CE marked
GMDN code:	See individual Product Information.		
Sterilization:	Non-sterile		
Raw material:	See individual Product Information.		
Latex information:	Not manufactured with natural rubber latex		



Biological origin:	The device is not manufactured with materials derived from human or animal source.
Handling and storage:	Store the product dry and away from sunlight at room temperature. Excursions permitted between 2°C - 42°C.
Waste handling and disposal:	Waste handling and disposal should be carried out in agreement with medical practice and applicable national laws and legislations. Used product may be a potential biohazard.
Hazardous components:	None
Expiration date:	3 years after manufacturing. The included device with the shortest shelf life upon packing of each lot, will determine the shelf life.
Packaging:	These products are packed in a box and contain marketing materials and a mix of the following final products (configuration dependent): Provox Life LaryTube Provox Life Home HME Provox Life Night HME Freevent Neckband two-piece L Provox TubeBrush Provox Life Shower Provox SolaTone Plus Provox TruTone Plus

Devices under Basic UDI-DI: 7331791-KIT-0-000-0004-HY

6130 Provox Life LP Kit 1 - LT 8/36, 8/55	7331791015373
6131 Provox Life LP Kit 2 - LT 9/36, 9/55	7331791015380
6132 Provox Life LP Kit 3 - LT 10/36,10/55	7331791015397
6133 Provox Life LP Kit 4 - LT 12/36,12/55	7331791015403
6134 Provox Life LP Kit 5 - LT 8/36, 8/55	7331791015410
6135 Provox Life LP Kit 6 - LT 9/36, 9/55	7331791015427
6136 Provox Life LP Kit 7 - LT 10/36,10/55	7331791015434
6137 Provox Life LP Kit 8 - LT 12/36,12/55	7331791015441
6138 Provox Life LP Kit 9 - LT 8/36, 8/55	7331791015458
6139 Provox Life LP Kit 10 - LT 9/36, 9/55	7331791015465
6140 Provox Life LP Kit 11- LT 10/36,10/55	7331791015472
6141 Provox Life LP Kit 12 - LT 12/36,12/55	7331791015489
6142 Provox Life LP Kit 13 - LT 9/55	7331791015496
6143 Provox Life LP Kit 14 - LT 10/55	7331791016165
6144 Provox Life LP Kit 15 - LT 10/55-2H	7331791016134
6145 Provox Life LP Kit 16 - LT 10/55-2HSTP	7331791016141
6146 Provox Life LP Kit 17 - LT 10/55-2HTTP	7331791016158

Atos Medical AB compatible products:


See information provided with the individual devices included in the kit.

Justification:	Function:	Electronic signature justification:	Signed: Date (yyyy-mm-dd) - Time (hh:mm):
Issued:	QA	Elin Andersson - ELIAND	2022-03-16 - 16:11
Reviewed:	QA	Karolina Nilsson - KARNIL	2022-03-18 - 08:33
Approved:	DD	Mikael Melefors - SEHRBSGM	2022-03-18 - 10:36
Released:	QA	Elin Andersson - ELIAND	2022-03-21 - 15:47

This document has been electronically signed by the persons above.



Provox® Life™ FreeHands HME



Product description:

Provox Life FreeHands HME is a heat- and moisture exchanger facilitating pulmonary rehabilitation by humidifying the inhaled air, which helps to keep the lungs healthy.

Atos Medical AB Kraftgatan 8 SE-242 35 Hörby, Sweden Tel: +46 (0) 415 198 00 Web Site: www.atosmedical.com E-mail: info@atosmedical.com

Page 1 of 4

Org.nr 556268-7607

VAT no. SE556268760701

File name: PF099-01-Techinfo.docx Template ID: TMP-0260 Decumental Number: 201/20-0543754 Status: Effective Version: 1.0 Name: PF099-01-TECHINFO



Document ID:	PF099-01-TechInfo	Edition:	04
Manufacturer:	Atos Medical AB Kraftgatan 8 SE-242 35 Hörby,Sweden		
Classification: (EU) 2017/745	Class I, Rule 1		
Intended Use:	Provox Life FreeHands HME is a single use heat- intended for spontaneously breathing laryngect voice prosthesis and in combination with a Prove	omized patien ⁻	ts, utilizing a
Use specifications:	Intended medical indication Product for rehabilitation for patients breathing to Intended patient population Patients of any age. Cognitive ability, by a clinician judged as sufficients Manual dexterity, by a clinician judged as sufficients Manual dexterity, by a clinician judged as sufficients Not intended for patients with mechanical ventilents Not intended for patients with a low tidal volume Intended usage Single use. Intended part of the body/type of tissue applied The device will contact intact skin and mucosal communicating device the contact mode with air. Intended user profile The product is supposed to be handled by the pi by physicians, trained nurses, SLPs, clinicians and Intended conditions of use Environment: Home use (normal daily environment environmental restrictions regarding temperature Outpatient clinic use. Hospital use. Frequency of use: Continuous use. Replacement rate: Max usage for 24 hours. Repl the patient, clinician or caregiver.	ent. ent. lation. e. to or interacte membrane an tissue is indirect atient but is als caregivers. ent without any e, moisture etc	d with d as external t via so handled or .).
Contraindications:	The products are not intended to be used by pa operate the device, unless the patient is under a clinician or a trained caregiver. For example, pa move their arms, patients with decreased levels patients with diseases that put them at risk for un consciousness. The product shall not be used by patients with a added dead space may cause CO2 (Carbon d	constant superv tients who are of consciousne predictable pe low tidal volur	vision of a unable to ess, or eriodic loss of ne, as the
CE Mark:	Yes. Devices are CE-marked.		
GMDN code:	58705 (Tracheostoma protective filter)		
Sterilization:	Non-sterile		
Raw material:	Provox Life FreeHands HME is composed of an inject polypropylene Housing, assembled with a polyuret impregnated with calcium chloride).		ich is
Latex information:	Not manufactured with natural rubber latex		



Biological origin:	The device is not manufactured with materials derived from human or animal source.
Handling and storage:	Store the product dry and away from sunlight at room temperature. Excursions permitted between 2°C - 42°C.
Waste handling and disposal:	Waste handling and disposal should be carried out in agreement with medical practice and applicable national laws and legislations. Used product may be a potential biohazard.
Hazardous components:	None
Expiration date:	3 years after manufacturing.
Packaging:	The HMEs are single packed 10 pieces in a LD-Polyethylen blister sealed with a high barrier polyester-based lidding film. 3 blisters (30 cassettes) are then packed in a cardboard box together with a paper IFU.



Devices under Basic UDI-DI: 7331791-HME-0-000-0008-XZ

REF	Name	UDI-DI
7440	Provox Life FreeHands HME	07731791014895

Atos Medical AB compatible products:


Range	BASIC UDI-DI
Provox FreeHands FlexiVoice	7331791-HME-0-000-0007-XW
Provox Life Adhesives	7331791-ADH-0-000-0001-CT
Provox Life LaryTubes	7331791-LTU-0-000-0004-3L

Justification:	Function:	Electronic signature justification:	Signed: Date (yyyy-mm-dd) - Time (hh:mm):
Issued:	QA	Abdallah Almashharawi - ABDALM	2022-03-24 - 15:11
Reviewed:	QA	Karolina Nilsson - KARNIL	2022-03-24 - 15:37
Approved:	DD	Diana Tieger - DIATIE	2022-03-28 - 14:53
Released:	QA	Abdallah Almashharawi - ABDALM	2022-08-24 - 10:49

This document has been electronically signed by the persons above.



Provox[®] Life Adhesive



Product description:

Provox Life Adhesives are designed to be used together with Provox Life HMEs and accessories. Provox Life Standard Adhesive, Provox Life Sensitive Adhesive and Provox Life Stability Adhesive are flexible adhesives suitable for flat to moderately deep stomas. Provox Life Sensitive Adhesives and Provox Life Night Adhesive have an adhesive material with permanent skin contact that is hypoallergenic and suitable for sensitive skin.

Atos Medical AB Kraftgatan 8 SE-242 35 Hörby, Sweden Tel: +46 (0) 415 198 00

Web Site: www.atosmedical.com E-mail: info@atosmedical.com Org.nr 556268-7607 VAT no. SE556268760701

File name: PF101-01 TECHINFO Template ID: TMP-0260 VeDocumeinti Number 06 VV-0544793 Status: Effective Version: 1.0 Name: PF101-01 TECHINFO Provox Life Adhesive



Document ID:	PF101-01-TechInfo	Edition:	11	
Manufacturer:	Atos Medical AB Kraftgatan 8 SE-242 35 Hörby,Sweden			
Classification: (EU) 2017/745	Class I (1.1 Rule 1)			
Intended Use:	Provox Life Adhesives are single use adhesives Provox Life HMEs and accessories after total lo	•	achment for	
Use specifications:	Intended medical indication: Facilitation of pototal laryngectomy.	ulmonary rehabili	itation after	
	Intended patient population: Any age and cousers are elderly.	ondition. The majo	ority of the	
	Intended usage: Single use, over-the-counter	device.		
	Intended part of the body/type of tissue appli device is a peristomal adhesive with skin cont		ed with: The	8-24
	Intended user profile: Patient, clinician, traine ability, by a clinician judged as sufficient. Mar judged as sufficient.	-	-	Edition: 11 Release date: 2022-08-24
	Intended conditions of use: The device will be (mainly) in the patient's normal environment. as needed. The device can be used in any lo	Daily usage with	replacement	l Release d
Contraindications:	The devices should only be used in accordan Use. Patients without the physical, cognitive, or attach, remove or operate the devices thems devices independently and should only use the sufficient supervision of a clinician or a trained	or mental ability r selves, should not nem if they are ut	equired to t use the	6234 Edition: 1
CE Mark:	Yes. Devices are CE-marked.			0004(
GMDN code:	62175 (Stomal appliance skin-adherent patch	n, non-sterile).		: 100
Sterilization:	Non-sterile			int No
Raw material:	Provox Life Standard Adhesives consist of an a polyethylene carrier and an ethylene and bu adapter.	•	•	Document No: 10000046234
	Provox Life Sensitive Adhesives consist of a hydran ethyl methyl acetate carrier (EMA) and buadapter.		•	eleased
	Provox Life Night Adhesive consists of a hydro polyurethane carrier and a thermoplastic elas		e with a	as
	Provox Life Stability Adhesive consists of an ac polyethylene carrier and a thermoplastic elas	•	th a	Ð
				Φ
				\mathbf{M}



Latex information:	Not manufactured with natural rubber latex	
Biological origin:	The device is not manufactured with materials derived from human or animal source.	
Handling and storage:	Store the product dry and away from sunlight at room temperature. Excursions permitted between 2°C - 42°C (2 - 30°C for Provox Life Night Adhesive and Provox Life Sensitive Adhesives).	
Waste handling and disposal:	Waste handling and disposal should be carried out in agreement with medical practice and applicable national laws and legislations. Used product may be a potential biohazard.	
Hazardous components:	None.	
Expiration date:	3 years after manufacturing.	
Packaging:	 Each adhesive is packed individually in a polyethylene plastic bag (Provox Life Night Adhesive is packed in an aluminum foil bag). The adhesives are packed 30 pcs in a cardboard box: Provox Life Standard Adhesive Round Provox Life Standard Adhesive Oval Provox Life Standard Adhesive Plus Provox Life Sensitive Adhesive Round Provox Life Sensitive Adhesive Plus Provox Life Sensitive Adhesive Plus 	
	 The adhesives are packed 15 pcs in a cardboard box: Provox Life Stability Adhesive Provox Life Night Adhesive 	

Provox Life Night Adhesive

Devices under Basic UDI-DI: 7331791-ADH-0-000-0001-CT

REF	Name	UDI-DI
7460	Provox Life Standard Adhesive Round	07331791014420
7461	Provox Life Standard Adhesive Oval	07331791014437
7462	Provox Life Standard Adhesive Plus	07331791014444
7463	Provox Life Sensitive Adhesive Round	07331791014451
7464	Provox Life Sensitive Adhesive Oval	07331791014468
7466	Provox Life Sensitive Adhesive Plus	07331791014482
8261	Provox Life Night Adhesive	07331791014505
8263	Provox Life Stability Adhesive	07331791014499






Sensitive Adhesive Oval
Sensitive Adhesive Plus
Stability Adhesive

Atos Medical AB compatible products:

Range	BASIC UDI-DI
Provox Life HME	7331791-HME-0-000-0001-XC
Provox Life Shower	7331791-ADH-A-000-0001-UB
Provox Life BasePlate Adapter	7331791-HME-A-000-0005-FB
Provox Silicone Glue	7331791-GEN-A-000-0003-EF
Provox Cleaning Towel 10-p	7331791-ADH-A-000-0003-UH
Provox Adhesive Remover (50 pcs)	7331791-ADH-A-000-0005-UP
Provox Skin Barrier (50 pcs)	7331791-ADH-A-000-0004-UL
Provox Life LaryTube with Ring	7331791-LTU-0-000-0004-3L
Provox Life LaryTube Fenestrated with Ring	7331791-LTU-0-000-0004-3L
Provox Adhesive Strip	7331791-ADH-A-000-0002-UE



Provox[®] Life[™] LaryTube[™]



Standard

Fenestrated

Standard with Ring Fenestrated with Ring

Product description:

Provox Life LaryTube is a tube made of medical grade silicone rubber. The purpose of the device is to create a comfortable and airtight fit between Provox Life LaryTube and the tracheostoma, and to provide attachment for devices from the Provox Life HME System and Provox Life Shower.

Standard model and Ring model can be fenestrated so that air can go through the voice prosthesis for voice prosthesis users. The holes are punched by using a biopsy punch.

Standard model – made for use with or without a voice prosthesis. Can be attached with a Provox TubeHolder, Provox LaryClip or Freevent Neckband.

Fenestrated model – made for voice prosthesis users. Can be attached with a Provox TubeHolder or Provox LaryClip.

Standard with Ring model – made for use with or without a voice prosthesis. Can only be attached with a Provox Life Adhesive.

Fenestrated with Ring model – made for voice prosthesis users. Can only be attached with a Provox Life Adhesive.

Atos Medical AB	SE-242 35 Hörby, Sweden	: www.atosmedical.com	Org.nr 556268-7607
Kraftgatan 8	Tel: +46 (0) 415 198 00	info@atosmedical.com	VAT no. SE556268760701

File name:

Template ID: TMP-0260 Version: 10 Valid from: 2023/10/02

Page 1 of 5



Atos Product Information

atosmearcal.com						
Document ID:	PF106-01-TechInfo	Edition:	2.0			
Manufacturer:	Atos Medical AB Kraftgatan 8 SE-242 35 Hörby,Sweden					
Classification: (EU) 93/42/EEC	IIb (Rule 5)					
Intended Use:	Provox Life LaryTube is a single patient use device intended to provide attachment for Provox Life HME and accessories after total laryngectomy. For laryngectomized patients with a shrinking tracheostoma it is also used to maintain the tracheostoma for breathing.					
Use specifications:	Intended medical indication: Product for rehabilitation for patients breathing through a tracheostoma.					
	Intended patient population: Patients of any age. Cognitive ability, by a clinician judged as sufficie Manual dexterity, by a clinician judged as sufficie					
	Intended usage: Single patient multiple use, Prescription only.					
	Intended part of the body/type of tissue applied to or interacted with: Tracheostoma.					
	Intended user profile: The product is supposed to be handled by the patient but is also handled by physicians, trained nurses, SLPs, clinicians and caregivers.					
	Intended conditions of use: Environment: Hospital use: No environmental restrictions regard moisture, hygiene, lighting and working position. Both daytime and nighttime.	v .				
	Outpatient hospital use: No environmental restrict temperature, moisture, hygiene, lighting and wo high stress level. Daytime.		-			
	Home use: No environmental restrictions regardir moisture. Potential low conditions regarding hygi and working position. Both daytime and nighttim	iene, lighting, s				
	Frequency of use: Continuous use.					
	Replacement rate: Max usage for 6 months. If de damage, it shall be replaced earlier. Replaceme patient, clinician or caregiver.					
Contraindications:	 Provox LaryTube is not intended to be used by period are under any form of mechanical ventilation. have damaged tracheostoma tissue. 	atients that:				



CE Mark:	Yes. Devices are CE-marked.
GMDN code:	12292 (Laryngectomy tube)
Sterilization:	Non-sterile.
Raw material:	Tube: Silicone
	Ring for Tube: Silicone with white masterbatch
Latex information:	Not manufactured with natural rubber latex.
Biological origin:	The device is not manufactured with materials derived from human or animal source.
Handling and storage:	Store the product dry and away from sunlight at room temperature. Excursions permitted between 2°C - 42°C.
Waste handling and disposal:	Waste handling and disposal should be carried out in agreement with medical practice and applicable national laws and legislations. Used product may be a potential biohazard.
Hazardous components:	None.
Expiration date:	5 years after manufacturing.
Packaging:	Provox Life LaryTube is single packed in a LD-Polyethylene blister sealed with a high barrier polyester-based lidding film. It is then packed together with instructions for use for Provox Life LaryTube in a cardboard box.



Devices under Basic UDI-DI: 7331791-LTU-0-000-0004-3L

REF	Name	UDI-DI
7409	Provox Life LaryTube 8/27 Standard	7331791013874
7410	Provox Life LaryTube 8/36 Standard	7331791013881
7411	Provox Life LaryTube 8/55 Standard	7331791013898
7412	Provox Life LaryTube 9/27 Standard	7331791013676
7413	Provox Life LaryTube 9/36 Standard	7331791013683
7414	Provox Life LaryTube 9/55 Standard	7331791013713
7415	Provox Life LaryTube 10/27 Standard	7331791013904
7416	Provox Life LaryTube 10/36 Standard	7331791013911
7417	Provox Life LaryTube 10/55 Standard	7331791013928
7418	Provox Life LaryTube 12/27 Standard	7331791013935
7419	Provox Life LaryTube 12/36 Standard	7331791013942
7420	Provox Life LaryTube 12/55 Standard	7331791013959
7421	Provox Life LaryTube 8/36 Standard with Ring	7331791013966
7422	Provox Life LaryTube 8/55 Standard with Ring	7331791013973
7423	Provox Life LaryTube 9/36 Standard with Ring	7331791013690
7424	Provox Life LaryTube 9/55 Standard with Ring	7331791013720
7425	Provox Life LaryTube 10/36 Standard with Ring	7331791013980
7426	Provox Life LaryTube 10/55 Standard with Ring	7331791013997
7427	Provox Life LaryTube 12/36 Standard with Ring	7331791014000
7428	Provox Life LaryTube 12/55 Standard with Ring	7331791014017
7429	Provox Life LaryTube 8/36 Fenestrated	7331791014024
7430	Provox Life LaryTube 8/55 Fenestrated	7331791014031
7431	Provox Life LaryTube 9/36 Fenestrated	7331791013706
7432	Provox Life LaryTube 9/55 Fenestrated	7331791013737
7433	Provox Life LaryTube 10/36 Fenestrated	7331791014048
7434	Provox Life LaryTube 10/55 Fenestrated	7331791014055
7435	Provox Life LaryTube 12/36 Fenestrated	7331791014062
7436	Provox Life LaryTube 12/55 Fenestrated	7331791014079
8048	Provox Life LaryTube 8/36 Fenestrated with Ring	7331791014949
8049	Provox Life LaryTube 8/55 Fenestrated with Ring	7331791014956
8050	Provox Life LaryTube 9/36 Fenestrated with Ring	7331791014963
8051	Provox Life LaryTube 9/55 Fenestrated with Ring	7331791014970
8052	Provox Life LaryTube 10/36 Fenestrated with Ring	7331791014987
8053	Provox Life LaryTube 10/55 Fenestrated with Ring	7331791014994
8054	Provox Life LaryTube 12/36 Fenestrated with Ring	7331791015007
8055	Provox Life LaryTube 12/55 Fenestrated with Ring	7331791015014



Atos Medical AB compatible products:

Range	BASIC UDI-DI
Provox Brush	7331791-GEN-A-000-0001-E9
Provox TubeBrush	7331791-GEN-A-000-0001-E9
Provox Swab	7331791-GEN-A-000-0002-EC
Provox Life Standard Adhesive	7331791-ADH-0-000-0001-CT
Provox Life Standard Adhesive Round	7331791-ADH-0-000-0001-CT
Provox Life Standard Adhesive Oval	7331791-ADH-0-000-0001-CT
Provox Life Standard Adhesive Plus	7331791-ADH-0-000-0001-CT
Provox Life Sensitive Adhesive	7331791-ADH-0-000-0001-CT
Provox Life Sensitive Adhesive Round	7331791-ADH-0-000-0001-CT
Provox Life Sensitive Adhesive Oval A	7331791-ADH-0-000-0001-CT
Provox Life Sensitive Adhesive Oval B	7331791-ADH-0-000-0001-CT
Provox Life Sensitive Adhesive Plus	7331791-ADH-0-000-0001-CT
Provox Life Stability Adhesive	7331791-ADH-0-000-0001-CT
Provox Life Night Adhesive	7331791-ADH-0-000-0001-CT
Provox Life Go HME	7331791-HME-0-000-0001-XC
Provox Life Home HME	7331791-HME-0-000-0001-XC
Provox Life Energy HME	7331791-HME-0-000-0001-XC
Provox Life Protect HME	7331791-HME-0-000-0001-XC
Provox Life Night HME	7331791-HME-0-000-0001-XC
Provox Life FreeHands HME	7331791-HME-0-000-0001-XC
Provox Life Shower	7331791-ADH-A-000-0001-UB
Provox FenestrationPunch	7331791-LTU-A-000-0000-JQ
Provox LaryClip	7331791-LTU-A-000-0001-JT
Provox TubeHolder	7331791-GEN-A-000-0000-E6
Provox Life BasePlate Adaptor	7331791-HME-A-000-0005-FB

Document Approvals

Approved Date: 2023-10-24


Task: Approval Task Verdict: Approve	ABDALM Abdallah Almashharawi, Sustaining Engineer (abdallah.almashharawi- atosmedical@coloplast.com) Issuer 23-Oct-2023 10:41:41 GMT+0000
Task: Final Approval Verdict: Approve	ELIAND Elin Andersson, Associate Design Control & Usability Specialist (elin.andersson-atosmedical@coloplast.com) Technical / Specialist 24-Oct-2023 09:31:54 GMT+0000

Justification:	Function:	Electronic signature justification:	Signed: Date (yyyy-mm-dd) - Time (hh:mm):
Issued:	DD	Christian Engelhardt - CHRENG	2021-05-17 - 15:20
Reviewed:	QA	Karolina Nilsson - KARNIL	2021-05-18 - 09:15
Approved:	DD	Daniel Åberg - DANABE	2021-05-18 - 09:36
Released:	DD	Christian Engelhardt - CHRENG	2021-05-21 - 09:51

This document has been electronically signed by the persons above.



Provox[®] Life[™] LaryButton



Product description:

Provox Life[™] LaryButton is a self-retaining tracheostoma button made of medical grade silicone rubber. The purpose of the device is to create a comfortable and airtight fit between Provox Life[™] LaryButton and the tracheostoma and also to provide attachment for devices from Provox Life[™] HME System. The device is delivered single packed, non-sterile and ready to use. The different parts of Provox Life[™] LaryButton are:

- a) Retention Collar
- b) Shaft
- c) Shield (conical)
- d) HME and Accessory Holder
- e) Wings

Released

Atos Medical AB Kraftgatan 8 SE-242 35 Hörby, Sweden Tel: +46 (0) 415 198 00 Web Site: www.atosmedical.com E-mail: info@atosmedical.com Org.nr 556268-7607 VAT no. SE556268760701



Document ID:	PF116-01-TechInfo	Edition:	01
Manufacturer:	Atos Medical AB Kraftgatan 8 SE-242 35 Hörby, Sweden		
Classification: (EU) 2017/745	IIb (2.1 Rule 5)(MDD 93/42/EEC)		
Intended Use:	Provox Life [™] LaryButton is a single patient use se Provox Life [™] HMEs and accessories after total la with a shrinking tracheostomas it is also used to r for breathing.	ryngectomy. Fo	or patients
Use specifications:	Intended medical indication: Product for rehabilitation for patients breathing to Intended patient population: For patients breathing through a tracheostoma of Intended usage: Provox Life™ LaryButton is a single patient use de clinician. Intended part of the body/type of tissue applied Tracheostoma. Intended user profile: Patient, clinician, nurse or other caretaker. Intended conditions of use (i.e. environment incl requirements, frequency of use, location, mobilit Primarily home use (normal daily environment wi environmental restrictions regarding temperature Secondary, outpatient clinic use and at hospital	after total laryn evice prescribe to or interacte uding hygienic y): thout any hygie e, moisture etc	gectomy. d by a d with: enic or
Contraindications:	 Provox Life[™] LaryButton is not intended to be use are under any form of mechanical ventilation. have damaged tracheostoma tissue. 	ed by patients	that:
CE Mark:	Yes, the devices are CE marked.		
GMDN code:	14093 (Tracheostoma button)		
Sterilization:	Non-Sterile.		
Raw material:	Provox Life™ LaryButton consists of transpare rubber.	nt medical gr	ade silicone
Latex information:	Not manufactured with natural rubber latex.		
Biological origin:	The device is not manufactured with materials d animal source.	erived from hu	man or
Handling and storage:	Store the product dry and away from sunlight at Excursions permitted between 2°C - 42°C.	room temperc	iture.
Waste handling and disposal:	Waste handling and disposal should be carried a medical practice and applicable national laws product may be a potential biohazard.		
Hazardous components:	None.		
Expiration date:	5 years after manufacturing.		

File name: PF116-01-TechInfo.docx Document Number: VV-0544207 Status: Effective Version: 1.0 Name: PF116-01-TechInfo



Packaging:

Provox Life[™] LaryButton is single packed in a LD-Polyethylen blister sealed with a high barrier polyester-based lidding film. It is then packed together with instructions for use for Provox Life[™] LaryButton in a cardboard box.

Devices under Basic UDI-DI: 7331791-LTU-0-000-0005-3P


REF	Name	UDI-DI
8040	Provox® Life™ LaryButton 12/8	7331791015304
8041	Provox® Life™ LaryButton 12/18	7331791015106
8042	Provox® Life™ LaryButton 14/8	7331791015113
8043	Provox® Life™ LaryButton 14/18	7331791015120
8044	Provox® Life™ LaryButton 16/8	7331791015137
8045	Provox® Life™ LaryButton 16/18	7331791015144
8046	Provox® Life™ LaryButton 18/8	7331791015151
8047	Provox® Life™ LaryButton 18/18	7331791015168

Atos Medical AB compatible products:

Range	BASIC UDI-DI
Provox® TubeBrush	7331791-GEN-A-000-0001-E9
Provox® Swab	7331791-GEN-A-000-0002-EC
Provox® Life™ Go HME	7331791-HME-0-000-0001-XC
Provox® Life™ Home HME	7331791-HME-0-000-0001-XC
Provox® Life™ Energy HME	7331791-HME-0-000-0001-XC
Provox® Life™ Protect HME	7331791-HME-0-000-0001-XC
Provox® Life™ Night HME	7331791-HME-0-000-0001-XC
Provox® Life™ Freehands HME	7331791-HME-0-000-0008-XZ
Provox® Life™ Shower	7331791-ADH-A-000-0001-UB
Provox® LaryClip	7331791-LTU-A-000-0001-JT
Provox® TubeHolder	7331791-GEN-A-000-0000-E6
Provox® Life™ BasePlate Adaptor	7331791-HME-A-000-0005-FB
Freevent® Neckband	7331791-GEN-A-000-0000-E6
Stoma Sizing Guide	7331791-LTU-A-000-0001-JT



Stoma Sizing Guide



Product description:

Stoma Sizing Guide is a guide made of laminated paper and marked with indicators. It is delivered non-sterile and ready for use.

Atos Medical ABSE-242 35 Hörby, SwedenKraftgatan 8Tel: +46 (0) 415 198 00	Web Site: www.atosmedical.com E-mail: info@atosmedical.com	Org.nr 556268-7607 VAT no. SE556268760701
---	---	--



Atos Product Information

atosmearcal.com			
Document ID:	PF118-01-TechInfo	Edition:	2.0
Manufacturer:	Atos Medical AB Kraftgatan 8 SE-242 35 Hörby,Sweden		
Classification: (EU) 2017/745	Class I, Rule 5		
Intended Use:	Stoma Sizing Guide is a single use device intender clinician determine which size of LaryTube or Lary Provox Lif range respectively should be prescribe Sizing Guide is intended to be used by a prescrib the IFU for Provox and Provox Life LaryTube and L Stoma Sizing Guide can also be used by patients	yButton in the I d to the patie ing clinician w aryButton resp	Provox and nt. Stoma tho has read pectively.
Use specifications:	Intended medical indication Patients breathing through a tracheostoma using pulmonary rehabilitation.	g LaryTube or L	aryButton for
	Intended patient population For patients breathing through a tracheostoma o	after total laryr	igectomy.
	Intended usage Single use, Prescription only.		
	Intended part of the body/type of tissue applied to or interacted with Tracheostoma. The device will contact intact skin and mucosal membrane.		
	Intended user profile The product is supposted to be handled by prese patient.	cribing clinicia	n and
	Intended conditions of use Outpatient clinic use. Hospital use. Frequency of use: Transient, Normally intended for minutes. Replacement rate: N/A, Single use only. Home use (normal daily environment without and environmental restrictions).		
Contraindications:	No known contraindications		
CE Mark:	Yes. Devices are CE-marked.		
GMDN code:	65811 (Tracheostoma sizer)		
Sterilization:	Non-sterile.		
Raw material:	Paper laminated with a Polypropylene-film		
Latex information:	Not manufactured with natural rubber latex		
Biological origin:	The device is not manufactured with materials d animal source.	erived from hu	man or



Handling and storage:	Store the product dry and away from sunlight at room temperature. Excursions permitted between 2°C - 42°C.
Waste handling and disposal:	Waste handling and disposal should be carried out in agreement with medical practice and applicable national laws and legislations. Used product may be a potential biohazard.
Hazardous components:	None.
Expiration date:	2 years after manufacturing.
Packaging:	5 x 10 pcs of Stoma Sizing Guide are packed in a LDPE plastic bags, which is then packed in a cardboard box together with an IFU.

Devices under Basic UDI-DI: 7331791-LTU-0-000-0006-3S

REF	Name	UDI-DI
7135	Stoma Sizing Guide	7331791015366

Atos Medical AB compatible products:

Range	BASIC UDI-DI
Provox Life LaryTube	7331791-LTU-0-000-0004-3L
Provox Life LaryButton	7331791-LTU-0-000-0005-3P
Provox LaryTube	7331791-LTU-0-000-0002-3E
Provox LaryButton	7331791-LTU-0-000-0000-38

Document Approvals

Approved Date: 2023-10-23

Task: Approval Task Verdict: Approve	NIKI.SVENSSON Niki Svensson, Sustaining Engineer (niki.svensson-atosmedical@coloplast.com) Issuer 19-Oct-2023 06:00:07 GMT+0000
Task: Final Approval Verdict: Approve	ELIAND Elin Andersson, Associate Design Control & Usability Specialist (elin.andersson-atosmedical@coloplast.com) Technical / Specialist 23-Oct-2023 06:25:27 GMT+0000